HYDROTAP G5 BC20 INDUSTRIAL SIDE TOUCH - SAFETY CHROME

BOILING CHILLED

FILTERED

Order Code H5J702Z00AU

Zip HydroTap Industrial Boiling, Chilled, Filtered water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 3 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, SteriTouch® antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology, and 0.2 micron water filtration. Easy to install integrated ventilation tray included.

Manufacturing Code	H5J702Z00AU
Capacity	Commercial
Number of people	20
Boiling Cups per hour	100
Chilled Cups per hour	75

Tap	Zip HydroTap Industrial Side Touch 3 buttonTap (Chrome) with Tapered Base
Water Supply Requirements	Cold
Power Supply	1 x 10 Amp socket outlet
Dimensions	W280mm x D455mm x H333mm

Installation Requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1.5 metres of the product.
3. HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit.6. Installation by Zip Professional Service can be arranged with a phone call or through www.zipwater.com

Installation Detail